

# オイルパターン スケジュール表

	月	火	水	木	金	土	日
朝	①	①	①	①	①	①	①
夕方			②		③		②

①ハウスコンディション

②リーグ&サンデーコンディション

③トーナメントコンディション

●オイルパターンは毎月変更します。

●②③は大会使用レーンのみリメンテします。

●お盆、年末年始などの繁忙期は土曜日扱いとさせていただきます。

●プロチャレンジ、シーズンカップなど特別大会時には別途ご案内します。


●都合によりリメンテを変更、実施しない場合がございます。

●詳しくはスタッフまでご確認ください。


Oil Pattern Distance	42	Reverse Brush Drop	38	Oil Per Board	50 ul
Forward Oil Total	14.75 mL	Reverse Oil Total	11.6 mL	Volume Oil Total	26.35 mL
Tank Configuration	Multi Tank	Tank A Conditioner	FIRE	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	3L	3R	1	10	A	35	0.0	0.0	0.0	1750
2	5L	5R	2	10	A	62	0.0	2.8	2.8	3100
3	7L	7R	1	14	A	27	2.8	4.7	1.9	1350
4	8L	8R	1	14	A	25	4.7	6.6	1.9	1250
5	9L	9R	1	14	A	23	6.6	8.5	1.9	1150
6	10L	10R	2	18	A	42	8.5	13.6	5.1	2100
7	11L	11R	1	18	A	19	13.6	16.1	2.5	950
8	12L	12R	2	18	A	34	16.1	21.2	5.1	1700
9	13L	13R	1	18	A	15	21.2	23.7	2.5	750
10	14L	14R	1	18	A	13	23.7	26.2	2.5	650
11	2L	2R	0	10	A	0	26.2	42.0	15.8	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	22	B	0	42.0	38.0	-4.0	0
2	14L	14R	4	18	B	52	38.0	27.8	-10.2	2600
3	13L	13R	2	18	B	30	27.8	22.7	-5.1	1500
4	11L	11R	2	14	B	38	22.7	18.8	-3.9	1900
5	8L	8R	1	14	B	25	18.8	16.9	-1.9	1250
6	7L	7R	1	14	B	27	16.9	15.0	-1.9	1350
7	6L	6R	1	14	B	29	15.0	13.1	-1.9	1450
8	5L	5R	1	10	B	31	13.1	11.7	-1.4	1550
9	2L	2R	0	10	B	0	11.7	0.0	-11.7	0




Cleaner Ratio Main Mix                    NA      Forward  
 Cleaner Ratio Back End Mix            NA      Reverse  
 Cleaner Ratio Back End Distance      NA      Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



**先月と殆ど同じです。**  
**内側のオイルを上手く使うと点数が出ます。**  
**【はがさき】**


Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	6.94	1.98	1.04	1.04	1.98	6.94



Oil Pattern Distance	44	Reverse Brush Drop	38	Oil Per Board	40 ul
Forward Oil Total	14.08 mL	Reverse Oil Total	10.8 mL	Volume Oil Total	24.88 mL
Tank Configuration	Multi Tank	Tank A Conditioner	FIRE	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	10	A	37	0.0	0.0	0.0	1480
2	5L	3R	1	10	A	33	0.0	1.4	1.4	1320
3	8L	5R	2	14	A	56	1.4	5.3	3.9	2240
4	9L	7R	1	14	A	25	5.3	7.2	1.9	1000
5	10L	8R	3	18	A	69	7.2	14.8	7.6	2760
6	11L	9R	3	18	A	63	14.8	22.4	7.6	2520
7	14L	12R	3	22	A	45	22.4	31.7	9.3	1800
8	15L	13R	1	26	A	13	31.7	35.3	3.6	520
9	16L	14R	1	26	A	11	35.3	38.9	3.6	440
10	2L	2R	0	30	A	0	38.9	44.0	5.1	0


	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	10	B	0	44.0	37.0	-7.0	0
2	14L	14R	3	22	B	39	37.0	27.7	-9.3	1560
3	13L	13R	3	18	B	45	27.7	20.1	-7.6	1800
4	10L	10R	3	18	B	63	20.1	12.5	-7.6	2520
5	9L	9R	2	18	B	46	12.5	7.4	-5.1	1840
6	8L	8R	2	14	B	50	7.4	3.5	-3.9	2000
7	7L	7R	1	10	B	27	3.5	2.1	-1.4	1080
8	2L	2R	0	10	B	0	2.1	0.0	-2.1	0



Cleaner Ratio Main Mix                    NA      Forward  
 Cleaner Ratio Back End Mix            NA      Reverse  
 Cleaner Ratio Back End Distance      NA      Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

**内側からでも外側からでも幅を感じます。  
 自分の得意なラインを投げて下さい。  
 【はがさき】**


Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	16.67	2.11	1.08	1.03	1.72	8.33



Oil Pattern Distance	45	Reverse Brush Drop	40	Oil Per Board	50 ul
Forward Oil Total	18 mL	Reverse Oil Total	8.75 mL	Volume Oil Total	26.75 mL
Tank Configuration	Multi Tank	Tank A Conditioner	FIRE	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	10	A	37	0.0	0.0	0.0	1850
2	3L	3R	1	14	A	35	0.0	1.9	1.9	1750
3	4L	4R	2	14	A	66	1.9	5.8	3.9	3300
4	7L	5R	2	18	A	58	5.8	10.9	5.1	2900
5	9L	6R	2	18	A	52	10.9	16.0	5.1	2600
6	10L	7R	2	22	A	48	16.0	22.2	6.2	2400
7	11L	8R	2	22	A	44	22.2	28.4	6.2	2200
8	12L	9R	1	26	A	20	28.4	32.0	3.6	1000
9	2L	2R	0	26	A	0	32.0	45.0	13.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	B	0	45.0	34.0	-11.0	0
2	13L	10R	2	22	B	36	34.0	27.8	-6.2	1800
3	12L	9R	2	22	B	40	27.8	21.6	-6.2	2000
4	11L	8R	2	22	B	44	21.6	15.4	-6.2	2200
5	10L	7R	1	18	B	24	15.4	12.9	-2.5	1200
6	5L	5R	1	14	B	31	12.9	11.0	-1.9	1550
7	2L	2R	0	10	B	0	11.0	0.0	-11.0	0



Cleaner Ratio Main Mix                    NA      Forward  
 Cleaner Ratio Back End Mix            NA      Reverse  
 Cleaner Ratio Back End Distance      NA      Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

**比率は難しくみえますが、外から投げれば幅を感じます。外目から勝負できるボールを選んでください。【はがさき】**

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	4.57	1.67	1	1	1.07	3.09

